

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/09/2025
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 535046		(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 B. WING _____		(X3) DATE SURVEY COMPLETED 05/06/2025	
NAME OF PROVIDER OR SUPPLIER ST JOHN'S HEALTH SAGE LIVING				STREET ADDRESS, CITY, STATE, ZIP CODE 625 EAST BROADWAY, BUILDING B JACKSON, WY 83001			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		
E 000	Initial Comments An emergency preparedness survey was conducted by Healthcare Licensing and Surveys on 05/06/2025. Based on the findings of the survey, it was determined that the facility was in compliance with all requirements in accordance with 42 CFR 483.73.			E 000			
K 000	INITIAL COMMENTS A Life Safety Code survey was conducted by Healthcare Licensing and Surveys on 05/06/2025. Requirements for Long Term Care Facilities Section 42 CFR 483.90 except as otherwise provided in the Section, the facility must meet the applicable provisions of the 2012 Edition of the Life Safety Code, New Health Care, of the National Fire Protection Association. The facility was a fully sprinklered, two story building with a basement of Type II (222) construction with plan approval in 2019. The long term care facility was separated from a hospital rehabilitation unit via 2-hour rated construction, which was located in the eastern portion of the first level. The building was equipped with an automatic wet sprinkler system and dry sprinkler system with an addressable fire alarm system. The facility had a capacity of 57 certified Medicare and Medicaid beds with a census of 47 residents. Based on the findings of the survey, it was determined that the facility was in compliance with all requirements in accordance with 42 CFR 483.90			K 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

05/23/2025

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.