Electronically Delivered

March 31, 2025

Licensee
Horizon Home Care Services Inc.
6017 92nd Avenue North
Brooklyn Park, MN 55443

RE: Project Number(s) SL38338016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on February 26, 2025, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement.
Level 2: a fine of $500 per violation, in addition to any enforcement mechanism authorized in § 144G.20 for widespread violations;
Level 3: a fine of $3,000 per violation per incident, in addition to any enforcement mechanism authorized in § 144G.20.

Level 4: a fine of $5,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

0775 - 144g.45 Subd. 2. (a) - Fire Protection And Physical Environment - $500.00
0780 - 144g.45 Subd. 2 (a) (1) - Fire Protection And Physical Environment - $500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is $1,000.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING
Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Casey DeVries, Supervisor
State Evaluation Team
Email: casey.devries@state.mn.us
Telephone: 651-201-5917 Fax: 1-866-890-9290

JMD

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL38338016-0 On February 24, 2025, through February 26, 2025, the Minnesota Department of Health conducted a full survey at the above provider. At the time of the survey, there were five residents all of whom received services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators ' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated February 24, 2025, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection. TIME PERIOD FOR CORRECTION: Please refer	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 3 to the FBEIR for any compliance dates.	0 480		
0 550 SS=F	144G.41 Subd. 7 Resident grievances; reporting maltreatment All facilities must post in a conspicuous place information about the facilities' grievance procedure, and the name, telephone number, and email contact information for the individuals who are responsible for handling resident grievances. The notice must also have the contact information for the Office of Ombudsman for Long-Term Care and the Office of Ombudsman for Mental Health and Developmental Disabilities and must have information for reporting suspected maltreatment to the Minnesota Adult Abuse Reporting Center. The notice must also state that if an individual has a complaint about the facility or person providing services, the individual may contact the Office of Health Facility Complaints at the Minnesota Department of Health. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to post the required information related to the grievance procedure. This had the potential to affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents).	0 550		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 550	Continued From page 4 The findings include: On February 24, 2025, at 10:20 a.m., during the facility tour, the surveyor observed the common areas shared by residents, staff, and visitors lacked the required posting of the grievance procedure to include the name, telephone number, and e-mail contact information for the individuals who were responsible for handling resident grievances. On February 24, 2025, at 10:26 a.m., clinical nurse supervisor (CNS)-A stated the grievance information posted included the ombudsman number, Minnesota Adult Abuse Reporting Center (MAARC) number, and 911 number. CNS-A also stated the missing required content was posted but a resident tore it, and that they had not replaced it. The licensee's Grievance policy dated August 1, 2021, indicated a copy of the grievance procedure is conspicuously posted in the residence with the following information: name, phone number, and email contact information for the individuals who are responsible for handling resident complaints. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 550		
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 5 contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review the licensee failed to maintain a written emergency preparedness plan (EPP) with all the required content. This had the potential to affect all staff, visitors, and residents of the assisted living facility. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 6 a large portion or all of the residents). The findings include: The licensee's EPP dated October 24, 2024, lacked evidence of the following required content: - risk assessment by likelihood of occurrence; - process for EPP collaboration; - subsistence needs for staff and residents including emergency lighting; - procedures for tracking of staff and patients; - policies and procedures for medical documents; - policies and procedures for volunteers; - roles under a wavier declared by secretary; and - development of communication plan. On February 24, 2025, at 2:15 p.m., clinical nurse supervisor (CNS)-A stated they had reviewed the EPP with registered nurse (RN)-C however, it was not fully updated. RN-C stated the progress was slow and that they would update the EPP to reflect requirements. The licensee's Emergency Preparedness Policy dated August 1, 2021, indicated [licensee] will have an identified plan in place to ensure the safety and well-being of residents and employees during periods of an emergency or a disaster that disrupts facility services. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 680		
0 700 SS=F	144G.43 Subdivision 1 Resident record (b) Resident records, whether written or electronic, must be protected against loss,	0 700		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 700	Continued From page 7 tampering, or unauthorized disclosure in compliance with chapter 13 and other applicable relevant federal and state laws. The facility shall establish and implement written procedures to control use, storage, and security of resident records and establish criteria for release of resident information. This MN Requirement is not met as evidenced by: Based on interview and record review the licensee failed to ensure residents' personal health and medical information was kept private. This had the potential to affect all residents. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: On February 24, 2025, at 10:55 a.m., clinical nurse supervisor (CNS)-A provided the surveyor the emergency preparedness (EP) binder and stated it was available for the residents, staff, and visitors to the facility. The EP binder contained all five resident's identifying information including their diagnoses and medications. On February 25, 2025, at 3:00 p.m., clinical nurse supervisor (CNS)-A stated the licensee thought that was the only way to satisfy the EP content requirements, but did not realize that resident identifier information was out in the open.	0 700		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 700	Continued From page 8 The licensee's undated Clinical Records/Medical Record Retention policy indicated all client information shall be regarded as confidential and available only to authorized users. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 700		
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to comply with the current State Fire Code in Minnesota Rules, chapter 7511. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: During facility tour on February 25, 2025, from	0 775		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 775	Continued From page 9 10:00 a.m. to 12:30 p.m., with clinical nurse supervisor (CNS)- A and registered nurse (RN)-C, it was observed that the window in resident room 5 was nailed shut. This causes an exit obstruction for the occupant in the event of an emergency where the window is needed for escape or rescue operations. During a facility tour on February 25, 2025, at 11:30 a.m., RN-C stated that the occupant, under the influence of narcotics tried breaking through the window this past winter. RN-C nailed the window shut to prevent snow from entering the facility. Occupied rooms must have a working emergency and escape opening at all times. TIME PERIOD FOR CORRECTION: Two (2) days	0 775		
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 10 (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to provide smoke alarms that were interconnected in required locations. This had the potential to directly affect all of the residents and staff. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: During facility tour on February 25, 2025, from 10:00 a.m. to 12:30 p.m., with registered nurse (RN)-C. The surveyor asked RN-C to initiate a test of the smoke alarms, upon testing, it was found that the smoke alarms in the facility were not interconnected. Combination hard-wired and battery alarms were being used throughout the facility. Hard-wired safety devices are required to be maintained. Resident room, and other battery alarms must interconnect with required 120-volt smoke alarm.	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 11 These deficient conditions were visually verified by RN-C accompanying on the tour. TIME PERIOD FOR CORRECTION: Two (2) days	0 780		
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill.	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 12 This MN Requirement is not met as evidenced by: Based on observation, interview and record review, the licensee failed to develop the fire safety and evacuation plan with required content, make the plan readily available, provide required training. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: During facility tour on February 25, 2025, from 10:00 a.m. to 12:30 p.m., with clinical nurse supervisor (CNS)- A, surveyor observed the posted evacuation plans were not in the emergency preparedness binder A copy of the facility floor plan should also be in the emergency preparedness binder to aid first responders in search and rescue operations. On February 25, 2025, CNS-A provided documents on the fire safety and evacuation plan (FSEP), fire safety training and evacuation drills, for the facility. FIRE SAFETY AND EVACUATION PLAN: The licensee's FSEP, titled "Fire Safety", dated	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 13 February 2020, failed to include the following: Staff Actions: The FSEP included standard administrative responsibilities for fire safety but failed to provide specific employee actions to take in the event of a fire or similar emergency relative to the facility's building layout and environmental risks. The plan indicated that staff should "not panic" and "call 911", but failed to include any procedures for how staff are to evacuate the building. Resident Actions: The FSEP did not identify specific fire protection actions for residents. There was no section in the policy that addressed the responsibilities or basic evacuation procedures that residents should follow in case of a fire or similar emergency. On February 25, 2025, at 11:30 a.m., CNS-A stated they understood the areas of their policy that were incomplete and would work on bringing them into compliance. Training: The licensee failed to provide training to employees on the FSEP upon hire and at least twice per year. Staff does web-based training at the time of hire, CNS-A stated they were using evacuation drills as training. No other training documentation was provided. The licensee failed to provide evacuation training to residents at least once per year. CNS-A lacked documentation showing any training was offered or training was scheduled for a future date for residents on the fire safety and evacuation plan. On February 25, 2025, at 11:30 a.m., CNS-A stated they understood the requirements for	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	38338	A. BUILDING: _____ B. WING _____	02/26/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HORIZON HOME CARE SERVICES INC	6017 92ND AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 14 training residents and staff and would implement a training program that was compliant with statute requirements. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 810		

Minnesota Department of Health
Environmental Health, FPLS
P.O. Box 64975
St. Paul, MN 55164-0975
6512014500

Type: Full
Date: *02/24/25*
Time: 11:30:00
Report: 1047251045

Food and Beverage Establishment Inspection Report

Location:
Horizon Home Care Services Inc
6017 92nd Avenue N
Brooklyn Park, MN55443
Hennepin County, 27

Establishment Info:
ID #: 0041073
Risk:
Announced Inspection: No

License Categories:

Expires on: 12/31/23

Operator:

Phone #:
ID #:

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders were issued during this inspection.

4-700 Sanitizing Equipment and Utensils

4-703.11B ***** Priority 1 *****

MN Rule 4626.0905B Sanitize food contact surfaces of equipment and utensils after cleaning by using mechanical hot water operations that achieve a utensil surface temperature of 160 degrees F (71 degrees C) and are set up and maintained in accordance with the specifications of NSF International and the manufacturer's data plate.

PICTURE OF THERMOMETER PROVIDED BY FACILITY STAFF INDICATED THE DISHWASHER ONLY REACHED 150F.

Comply By: 02/25/25

7-200 Toxic Supplies and Applications

7-201.11A ***** Priority 1 *****

MN Rule 4626.1600A Separate poisonous or toxic materials from food, equipment, utensils, linens, and single-service and single-use articles by spacing or partitioning.

INSECT KILLING SPRAY LOCATED IN DRAWER WITH SINGLE USE PLASTIC BAGS AND FOOD THERMOMETERS. CORRECTED ON SITE- SPRAY WAS RELOCATED

Comply By: 02/24/25

4-300 Equipment Numbers and Capacities

4-302.14 ***** Priority 2 *****

MN Rule 4626.0715 Provide an appropriate test kit to accurately measure sanitizing solutions.

UNABLE TO LOCATE TEST STRIPS AT TIME OF INSPECTION

Comply By: 02/24/25

3-300C Protection from Contamination: equipment/utensils, consumers

3-304.12B

MN Rule 4626.0275B Store the food preparation and dispensing utensil in a food that is not TCS food with the handles above the top of the food within containers or equipment that can be closed such as bins of sugar, flour or cinnamon.

HANDLE OF SCOOP LOCATED IN SUGAR CONTAINER WAS TOUCHING THE SUGAR. DISCUSSED RISK OF CONTAMINATION AND NEED TO STORE SCOOP DIFFERENTLY

Comply By: 02/24/25

4-300 Equipment Numbers and Capacities

4-303.11B

MN Rule 4626.0721B Provide chemical sanitizers to sanitize equipment and utensils during all hours of operation.

REPEAT VIOLATION- FIRST ISSUED 2/13/2023.

CHEMICALS PRESENT TO CLEAN FOOD SURFACES BUT NO APPROPRIATE CHEMICALS AVAILABLE TO SANITIZE FOOD CONTACT SURFACES (SUCH AS THE CUTTING BOARD). INFORMATION ON SANITIZERS PROVIDED WITH REPORT.

Comply By: 02/24/25

Surface and Equipment Sanitizers

Hot Water: = at Degrees Fahrenheit
Location: Dishmachine
Violation Issued: No

Food and Equipment Temperatures

Process/Item: Cold Holding
Temperature: 38 Degrees Fahrenheit - Location: Refrigerator- turkey
Violation Issued: No

Process/Item: Cold Holding
Temperature: 38 Degrees Fahrenheit - Location: Refrigerator- lettuce
Violation Issued: No

Total Orders In This Report	Priority 1	Priority 2	Priority 3
	2	1	2

Inspection conducted with V. Otunga and reviewed with MDH Nurse Evaluator B. Nyangena.

The establishment has a residential kitchen and serves food that is prepared that day. The kitchen has wood cabinets, laminate floor, painted walls, stone and wood counter tops, and a painted ceiling.

A two basin sink is located in the kitchen. One sink basin is designated for hand washing. A residential dish machine is located in the kitchen.

Discussed hand washing, ware washing, staff illness policy, temperature control, final cook temperatures, cleaning, serving highly susceptible populations, and food handling procedures.

Type: Full
Date: *02/24/25*
Time: 11:30:00
Report: 1047251045
Horizon Home Care Services Inc

Food and Beverage Establishment Inspection Report

NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Minnesota Department of Health inspection report number 1047251045 of 02/24/25.

Certified Food Protection Manager: Victor B. Otunga

Certification Number: FM107695 Expires: 08/20/27

Inspection report reviewed with person in charge and emailed.

Signed: _____

Victor Otunga
Operator

Signed: _____

Holly Sievers
Public Health Sanitarian 2
Metro Office
6512015946
Holly.Sievers@state.mn.us